











Echelle en Y : 1/200

PC : 15,00 m			Numéros des noeuds																																
	SP-21	P1	P2	P3	P4	P5	P6	P7	P8	P9	P10	P11	P12	P13	P14	P15	P16	P17	P18	P19	P20	P21	P21-1	P22	P23	P23-1	P24	P25	P26	P27	P28	P29	P30P31	P32	P33
Cote TN																																			
Cotes GII																																			
Profondeurs GII																																			
Distances partielles		61.05	36.69	19.80	55.38	16.93	52.00	100.00	100.00	100.00	100.00	100.00	38.16	90.00	100.00	100.00	60.00	100.00	100.00	70.00	50.00	50.00	20.00	52.50	52.50	100.00	70.00	75.88	31.94	50.00	31.94				
Distances cumulées	0.00	61.05	97.74	117.54	172.91	189.84	241.84	341.84	441.84	541.84	641.84	741.84	841.84	880.00	970.00	1070.00	1170.00	1270.00	1300.00	1400.00	1500.00	1600.00	1650.00	1700.00	1720.00	1772.50	1825.00	1842.40	1942.40	2012.40	2082.40	2158.20	2177.40	2187.40	
Pentes (Projet)	2.7 %	1.9 %		1.4 %		1.1 %	0.5 %			0.3 %				-2.5 %	-1.1 %		0.9 %		0.7 %	2.2 %	2.6 %	4.3 %	4.1 %	3.1 %	1.8 %	0.7 %		0.4 %			-4.0 %	-0.7 %			
Dimensions et Matériaux	FD - DNS00																																		



OUVRAGES STRUCTURANTS D'ASSAINISSEMENT
DE LA COMMUNE D'AIN ATTIG

DEPOLLUTION DE LA ZONE INDUSTRIELLE AIN ATTIG
Conduite de refoulement R251

TRACE EN PLAN ,PROFIL EN LONG
ET DETAILS D'OUVRAGES

[illegible]